



PRODUCT NAME OR NUMBER EM-7198		EMERGENCY TELEPHONE NUMBER 513/425-5864	
MANUFACTURING FACILITY, COMPANY OR SUBSIDIARY U.S. Polymeric			
ADDRESS (NUMBER, STREET, STATE AND ZIP CODE) 700 E. Dyer Road, Santa Ana, CA 92707			
DOT HAZARDOUS MATERIAL PROPER SHIPPING NAME (49 CFR 172.101) Not Applicable		DOT HAZARD CLASS (49 CFR 172.101) N/A	
CHEMICAL FAMILY Epoxy resin mixture/ Organic fiber	EPA HAZARDOUS WASTE NO. N/A	DOT IDENTIFICATION NO. (49 CFR 172.101) N/A	

[illegible]

Boiling Point	N/A	Solubility in Water	Neg.	Evaporative Rate (Ethyl ether = 1)	<1
Vapor Pressure mm. Hg @ 20° C	N/A	Specific Gravity (H ₂ O = 1)	1.4	pH =	N/A
Vapor Density (Air = 1)	N/A	Percent Volatile by Volume	0.1-2.0		
APPEARANCE AND ODOR					
Yellow fabric with solid resin having characteristic odor of epoxy resin and ketones.					

CLOSED CUP FLASH POINT °F	N/A	LEL	N/A %	UEL	N/A %	IGNITION TEMPERATURE °F	N/A
EXTINGUISHING MEDIA	Self-extinguishing when heat source removed, water, CO ₂ , foam, dry chemical						
SPECIAL FIRE FIGHTING PROCEDURES	Self-contained breathing apparatus						
UNUSUAL FIRE AND EXPLOSION HAZARDS	None						

Section V EFFECTS OF EXPOSURE, EMERGENCY AND FIRST AID PROCEDURES

Some hypersensitive individuals may experience dermatitis.

Effects of exposure to solvent vapors may include:

Acute: Prolonged breathing of high concentrations may affect peripheral nervous system.

Chronic: None known

Emergency and first aid procedures:

Skin contact: Wash with soap and water.

Inhalation: Remove to fresh air.

Section VI REACTIVITY DATA

STABLE <input checked="" type="checkbox"/>	UNSTABLE <input type="checkbox"/>	CONDITIONS TO AVOID N/A
INCOMPATIBILITY (MATERIALS TO AVOID)		None
DECOMPOSITION PRODUCTS CO, CO ₂ , HCN, NO _x , HCl, unknown hydrocarbons		
HAZARDOUS POLYMER- ZATION	MAY OCCUR <input type="checkbox"/> WILL NOT OCCUR <input checked="" type="checkbox"/>	CONDITIONS TO AVOID N/A

Section VII SPILL OR LEAK PROCEDURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED	N/A
WASTE DISPOSAL METHOD Landfill in accordance with RCRA and applicable state and local regulations.	

Section VIII PERSONNEL PROTECTION INFORMATION

Protective clothing and barrier creams are recommended for hypersensitive individuals.
--

Section IX SPECIAL PRECAUTIONS AND ADDITIONAL INFORMATION

None

While the information and recommendations set forth on this data sheet are believed to be accurate as of the present date, ARMCO MAKES NO WARRANTY WITH RESPECT THERETO AND DISCLAIMS ALL LIABILITY FROM RELIANCE THEREON.

Prepared by: STEPHEN S. FELTON
Corporate Toxic Substances Engineer

Stephen S. Felton 11/4/82
SIGNATURE AND DATE



U.S. POLYMERIC

August 27, 1984
DBP:141:84


Ms. R. R. Lally
Industrial Hygienist
Douglas Aircraft Company
3855 Lakewood Blvd.
Long Beach, CA 90846

Dear Mr. Lally:

As per your request, we are pleased to enclose our Material Safety Data sheet for our product EM-7198 (your DAC Part No. DMS 2197).

If I can be of any further assistance, please do not hesitate to contact me.

Sincerely,



David B. Proctor
Production Control

DBP/ca

Enclosure (1)

